Item No.	Picture	Details	Unit price		
			100-999pcs	1000-4999pcs	≧ 5000pcs
Working Principle: **This product uses a lithium rechargeable battery.Booster assembly can raise the low voltage of 3.7V to the half-sine high voltage of 7KV with a frequency of around 18KHZ,which can generate high frequency and high voltage,shock the air to form are wear high temperature,and light cigarettes,candles,dry leaves and other combustible materials quickly.**					
TW-901		Features: ●electric spark arc with flashlight Lighter activated by push out propeller, and with automatic homing feature Specifications: 1.Material: Metal,Aircraft Aluminum 2.Flame Type: Single Arc 3.Full Charge: about 1.5-2 hours 4.Lighting Time:≥4hours. 5.Battery Capacity: 502030 Polymer lithium battery; 3.7V,0.74Wh 6.Ignition Distance:4-4.5mm The LED light stop working after 15 minutes Circuit Protection: Auto power off after 7 second s spark arc 7.continuously working for 40-50 times, 8.Color: blue, black, silver, gold, red,pink 9.Size: L89mm×W25mm×H17mm 10.Weight: 36g 11.Packing: 200pcs/carton, packed in blister card 60g 12.Includes: 1* Arc Lighter,1* Micro USB Cable,1* User Manual Usage: when charging, indicator light turns red. After fully charged,the red light will go out.	$2.60	$2.45	$2.20

TW-902		Product Name: Arc Igniter Product Model:TW-902 Body material:Aluminum Alloy + stainless steel accents Battery:Rechargeable Li-ion, specify 170mAh on request Battery display:4-level LED indicator Safety:Child lock,safety switch,auto shut-off Power Interface:Type-c Maximum Single Ignition Time:7 seconds Arc Type: single Arc Charge time:Approx. 1-1.5 hours Product Dimensions:265*15~7.5mm Net Weight:38g Output Voltage:5500V+15% Operating Current:1.3A+15%	$1.50	$1.40	$1.20

TW-903 with flashlight	 	"With flashlight,With display lamp;Flexible neck; Customization:OEM logo accepted Butane free; No spark&smell. 7 seconds automatically shut off feature ensures a long lifespan for energy saving; Features: 1.Arc Pulse: Single Arc 2.Material:Zinc Alloy+ABS plastic 3.Environmental-Friendly,Low-carbon electricity 4.Rechargeable,Convenient USB-C connection,Charging 502030 Battery: 200mAh 3.7V,be used 65times*7seconds=455 seconds per charge 5.Battery Life: 300-500 times 6.When charging, the LED light will turn blue, when fully charged the light will turn off. 7.Smart Charging Circuit,Charging Time: 1.5-2hours 8.Long lifecycle 9.Exit DC: 5V 0.5V, 0.3-1A 10.L230mm*W25mm*H15mm 11.unit gift box size: 246*58*25MM ,weight:115g 12.packing:100 pcs /carton ,G.W.:12.5KG,Dimension: 246*58*25MM 13.Color:Black, Silver, Red,Blue,Pink,Teal	$2.60	$2.45	$2.20

TW-905	 	1.Zinc alloy and aluminum construcion 2.Double Arc technology 3.On off slider switch 4.LED indicator 5.No gas or fuel required 6.Rechargeable 701240 lithium-ion Battery: 230mAh 3.7V 0.85Vh 7.The maximum duration of a single ignition:7S 8.When fully charged, can provide up to 170times*2seconds=340seconds ignitions per charge 9.Battery Life: 300-500 times 10.When fully depleted, can fully charge in approxmately 1.5-2hours 11.Product size :230x 17.3x 17.3 mm 12.Charging Method:Type-C 13.Weight:73g	$3.72	$3.29	$2.72
TW-906	 	1.Arc Pulse: Single Arc 2.Zinc alloy and aluminum construcion 3.Charging 601333 lithium-ion Battery: 170mAh 3.7V 0.63Vh 4.Input:When fully charged, can provide up to 60times*7seconds=420seconds ignitions per charge 5.Battery Life: 300-500 times 6.Charging interface:Type-C 7.The maximum duration of a single ignition:7S 8.Product size:188*17*12mm 9.Product net weight:38g 10.One packing set:55g 11.Packing Size:L201*37*16mm 12.300pcs/carton , 17.5KG 13.Carton Size:L41.5* W41.5XH23.5cm 14.Output voltage:5500±10% 15.Working current:1.3A±10%.	$1.50	$1.40	$1.20

双弧TW-908		1.Zinc alloy and aluminum construcion 2.Double Arc technology 3.On off slider switch 4.LED indicator 5.No gas or fuel required 6.Charging 751140 lithium-ion Battery: 280mAh 3.7V 1.04Vh 7.The maximum duration of a single ignition:7S 8.When fully charged, can provide up to 68times*7seconds=476seconds ignitions per charge 9.Battery Life: 300-500 times 10.When fully depleted, can fully charge in approxmately 1~1.5hours 11.Product size :230x 17.3x 17.3 mm 12.Charging Method:Type-C 13.Weight:73g	$3.80	$3.38	$2.97

USB TYPE C TW-2303 flashlight add arc lighter function		Function: strong light flashlight, arc, sound and light alarm Main material: aerospace grade including alloy Low brightness: 20 lumens (15 hours of battery life) Flash: 500 lumens (4 hours of battery life) Battery: 800mAH ,14500 lithium polymer battery One button to trigger alarm, to seek help efficiently; High voltage dual arcs, well prepared for ignition and self-defense in emergencies; Arc parameters: 5S calculation per ignition, can be opened about 180 times Sound and light alarm: When the battery is fully charged, it can continuously beep and flash for 1.5 hours Dimensions: 22mm (tube diameter) X 140mm (length) Charging: Type C charging interface, charging time≈2.5 hours Weight: about 200g	$7.70	$7.50	$7.20

TYPE C TW-2305		Function: strong light flashlight (3 gears Light：Weak,Strong,Flashlight), high-power arc lighter, sound and light alarm (high decibel one-button alarm & access control alarm), emergen cy broken window, Power Indicator Product lumens: 500 lumens,lights up distance of 150 meters at maximum Flash: 500 lumens (4 hours of battery life) Low brightness: 20 lumens Continuous usage time：15 hours Weight：158.3g Product Size：21*162mm Main material: aerospace grade including alloy Sound and light alarm: When the battery is fully charged, it can continuously beep and flash for 1.5 hours Dimensions: 21mm (tube diameter) X 162mm (length)	$7.93	$7.73	$7.43

TYPE C TW-2306 Emergency Rescue Version 1.0		Function: High-intensity flashlight (3 gears: dim light, strong light, flashlight mode), high-power electric arc lighter, sound and light alarm system (high-decibel one-button alarm and access control alarm), emergency window-breaking device, power indicator light Product lumen value: 500 lumen, capable of illuminating a distance of 150 meters at maximum brightness Flash mode: 500 lumen (battery runtime is 4 hours) Low brightness mode: 20 lumen Continuous usage time: 15 hours Weight: 158.3 grams Product size: 21*162 millimeters Main material: Aerospace grade alloy Sound and light alarm: When the battery is fully charged, it can continuously beep and flash for 1.5 hours Size: 21 millimeters (diameter) × 162 millimeters (length) One-button emergency call: Added one-button alarm calling function, which can actively send out a distress signal and send the location of the scene to emergency contacts.			

TYPE C TW-2306 Emergency Rescue Version 2.0		Function: High-intensity flashlight (3 gears: dim light, strong light, flashlight mode), high-power electric arc lighter, sound and light alarm system (high-decibel one-button alarm and access control alarm), emergency window-breaking device, power indicator light Product lumen value: 500 lumen, capable of illuminating a distance of 150 meters at maximum brightness Flash mode: 500 lumen (battery runtime is 4 hours) Low brightness mode: 20 lumen Continuous usage time: 15 hours Weight: 158.3 grams Product size: 21*162 millimeters Main material: Aerospace grade alloy Sound and light alarm: When the battery is fully charged, it can continuously beep and flash for 1.5 hours Size: 21 millimeters (diameter) × 162 millimeters (length) One-button emergency call: Added one-button alarm calling function, which can actively send out a distress signal and send the location and **sound recording** to the emergency contact person.			